*International Journal of Fracture*

# CONTENTS OF VOLUME 98 (1999)


***Vol. 98, No. 1, 1999***

| | | |
|---|---|---|
| Stress intensity factor calculation based on the work of external forces | F.V. ANTUNES, J.M. FERREIRA and J. BYRNE | 1–14 |
| Fracture mechanics of piezoelectric materials | T.C. WANG and X.L. HAN | 15–35 |
| Effects of biaxial loading on crack driving force and constraints for shallow semi-elliptical surface flaws | M.M.K. LEE, D.P. BOOTHMAN and A.R. LUXMOORE | 37–54 |
| Micromechanical identification of anisotropic damage evolution laws | Q. YANG, W.Y. ZHOU and G. SWOBODA | 55–76 |
| A simple model for crack growth in creep resistant alloys | T.J. DELPH | 77–86 |
| The interface crack problem for bonded piezoelectric and orthotropic layers under antiplane shear loading | F. NARITA and Y. SHINDO | 87–101 |

***Vol. 98, No. 2, 1999***

| | | |
|---|---|---|
| Study on fracture strain of discontinuously reinforced metal matrix composites | QUAN GAOFENG, SONG YUJIU, TU MINGJING and BAI JINBO | 103–110 |
| Determination of double-$K$ criterion for crack propagation in quasi-brittle fracture, Part I: Experimental investigation of crack propagation | SHILANG XU and HANS W. REINHARDT | 111–149 |
| Determination of double-$K$ criterion for crack propagation in quasi-brittle fracture, Part II: Analytical evaluating and practical measuring methods for three-point bending notched beams | SHILANG XU and H.W. REINHARDT | 151–177 |

| | | |
|---|---|---|
| Determination of double-$K$ criterion for crack propagation in quasi-brittle fracture, Part III: Compact tension specimens and wedge splitting specimens | SHILANG XU and HANS W. REINHARDT | 179–193 |


***Vol. 98, Nos. 3–4, 1999***


| | | |
|---|---|---|
| Preface | | vii–viii |
| Curriculum Vitae | PROFESSOR PERICLES S. THEOCARIS | ix–xiv |
| Numerical simulation of interface crack in thin films | A.G. VARIAS, I. MASTORAKOS and E.C. AIFANTIS | 195–207 |
| Crack path predictions for temperature sensitive materials | N.P. ANDRIANOPOULOS and S.K. KOURKOULIS | 209–223 |
| Snap-back analysis of fracture evolution in multi-cracked solids using boundary element method | ALBERTO CARPINTERI and ILARIA MONETTO | 225–241 |
| The mixed mode crack problem in an inhomogeneous orthotropic medium | MURAT OZTURK and FAZIL ERDOGAN | 243–261 |
| Stress and failure analysis of brittle matrix composites. Part I: Stress analysis | E.E. GDOUTOS and A. GIANNAKOPOULOU | 263–277 |
| Stress and failure analysis of brittle matrix composites. Part II: Failure analysis | E.E. GDOUTOS, A. GIANNAKOPOULOU and D.A. ZACHAROPOULOS | 279–291 |
| Fracture initiation at an elastic crack tip: A computational implementation of the $T$-criterion | NIKOLAOS I. IOAKIMIDIS | 293–311 |
| Nonplanar interfacial cracks in anisotropic bimaterials | M.A. KATTIS | 313–327 |
| Crack-tip caustics at a bi-material interface | G.A. PAPADOPOULOS | 329–342 |
| Evaluation of the three-dimensional region around a crack tip by caustics | D.D. RAFTOPOULOS, ZUGANG HUANG, M. KONSTA-GDOUTOS and E.E. GDOUTOS | 343–350 |
| Nondestructive techniques for studying fracture processes in concrete | S.P. SHAH and S. CHOI | 351–359 |

| | | |
|---|---|---|
| Bonded cracked half planes with an interface and an intersecting crack | EFSTATHIOS E. THEOTOKOGLOU | 361–367 |
| U-notched Dionysos-Pentelicon marble beams in three point bending: The effect of nonlinearity, anisotropy and microstructure | S.K. KOURKOULIS, G.E. EXADAKTYLOS and I. VARDOULAKIS | 369–392 |
| Vibrations of layered beams under conditions of damaging and slipping interfaces | CHRISTOPH ADAM and FRANZ ZIEGLER | 393–406 |
| Contents of Volume | | 407–409 |
| Author Index | | 410 |

*International Journal of Fracture*

# CONTENTS OF VOLUME 98 (1999)

## *Vol. 98, No. 1, 1999*


| | | |
|---|---|---|
| Additional interface corner toughness data for an adhesively-bonded butt joint | E.D. REEDY, JR. and T.R. GUESS | L3–L8 |
| Two critical crack propagating velocities for PMMA fracture surface | J.S. SHENG and YA-PU ZHAO | L9–L14 |


## *Vol. 98, No. 2, 1999*


| | | |
|---|---|---|
| Contents | | L15 |
| Electromechanical fracture in piezoelectric ceramics | CHANDLER C. FULTON and HUAJIAN GAO | L17–L22 |
| New viewpoint to stability mechanism of reinforced earth slopes based on the fracture mechanics concept | ZHI-JIAN YI and WEI-DONG DENG | L23–L28 |


## *Vol. 98, Nos. 3–4, 1999*


| | | |
|---|---|---|
| Table of Contents | | L29 |
| Role of crack tip blunting in stress corrosion cracking of high-strength steels | J. TORIBIO and E. OVEJERO | L31–L36 |
| Weight function for internal cracks from weight functions of edge cracks | THEO FETT | L37–L42 |
| Rectification of oblique cracks in fracture toughness testing | H. ÖBERG, J. SKANTZ and F. NILSSON | L43–L45 |
| The express method of determining the fracture toughness of brittle materials | ALEXANDER STAROSELSKY | L47–L52 |
| On the cohesive zone model for a finite crack | YU. G. MATVIENKO | L53–L58 |
| Contents of Volume | | L59 |
| Author Index | | L61 |